

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.23

1915

LIBRARY
RECEIVED
MAR 15 1927

CHOICE WILD PLANTS

Collected From Their Native Haunts By

HOPEDALE NURSERIES,

J. W. Griesemer, Prop.

Our collectors cover practically the whole country. We can secure almost any native plant, if given time to locate it.

This revision of our list was made nearly a year ago. Circumstances prevented getting the necessary checking over, additions and omissions made, till now. Our former list is entirely exhausted, we were forced to take the time to do it now. We hope that it meets with your approval.

So far as possible, we have followed the "Standardized Plant Names" in our nomenclature. This will save confusion on the many names formerly used, since Standard Plant Names is the product of A. A. N. Am. Hort. Society, and practically all medicinal and governmental departments having to do with Plants. It is far more authentic than any of the many former names applied to the same plant.

We have dropped some items parasitic, and not readily transplanted; some too scarce to secure with any degree of certainty, and a few proving to be annuals. We have added many new sorts not formerly listed by us.

TERMS.

5 at 10 rates; 50 at 100 rates, 500 at 1,000 rates. If you want thousands or a large lot of this material, it is best to send your want list for our special quotations. If wanted out of season, requiring crating of tops, or other expense, the cost of doing this will be added.

10 days to regular customers.

30 days to dealers, nurserymen and landscapists.

Nurserymen and bona fide dealers are entitled to special prices. Send your list of wants for quotations. Landscapists or Gardeners, Superintendents etc., get their pay from their clients, and are not entitled to special prices, other than quantity discounts. This is only business ethics, and standard.

Packing done free, at prices herein, except as mentioned above.

Complaints must be made at once. We cannot allow claims after delay that might allow stock to ruin. Please report shortage, or any other complaint at once that it may be adjusted.

All Prices f. o. b. here, or at point of collection. Larger lots are usually sent out directly from collecting point. Saves time and cost of delivery. We Guarantee stock to be in good order when sent out, and up to grade. If anything reaching you from any of our collectors in Not Right, please notify us at once. We want to make good.

Nearly all plants go out when collected, which is usually the Best time to plant them. Send Orders Early to allow us to get scarce plants located, and collected at the best time to do it. We each profit by this. Many failures so secure plants could be avoided if we had the orders in time. Sud-



Rudbeckia



Helianthus



Vinca

We are members American Association Nurserymen, Ill. State Nurserymen's Assn., Am. Propagators Assn., Ill. State Hort. Society and other allied associations. This ought to be reference enough. If you want more, Hopedale National Bank, Peoria branch either Dunn's or Bradstreet's can tell you whether we are reliable and responsible or not. Likely you can be referred to a neighbor who has had dealings with us. We are not afraid of investigation. Look us up.

OUR BUSINESS IN WILD PLANTS HAS GROWN BEYOND ALL EXPECTATIONS. "There's a reason."

Yours to serve,
J. W. GRIESEMER, Prop.

EXPLANATION

To aid planters as much as possible in their selections, we have listed plants in 1st botanical name—the only reliable one, since common names vary with each community, 2nd, the best known common name. 3rd column, where they grow in nature, 4th, Color of blossom; 5th, when they bloom. The column at right of price columns tells where we usually secure our stock. H or Here, indicates that stock is secured here. I-Indiana; M-Mich; N. D.-North Dakota; Col.-Colorado; N. Y. and N. H., Vt. etc. are standard and need no explanation. For Example: N. C. H. & M. indicates we secure this item from North Carolina, Here and Mich. A few items are listed at different prices from different locations. Usually the higher prices are cheaper, especially for northern growers.

den droughts, floods, frosts, excessive heat, etc., cause plants to disappear—often next to impossible to collect. Collectors are lovers of plants, but too often no business people at all! Often they are not to blame, per above. We mention this that you can bear with our disappointments better. We have them, tho we try hard to fill all orders.

MISTAKES: We make them, so do our collectors. We want to correct them, if reported at once. They are easily found then, usually. Later they are not. **REPORT MISTAKES AT ONCE.**

SEEDS: We are often asked to get these. Usually we can do this, if ordered **BEFORE** they ripen—such sorts and seasons as produce seeds but do not store them. **ORDER EARLY.**

DONT FORGET that our principal business is the Nursery. If interested in nursery grown stock, ask for our literature on that, or send list of items wanted.



A border of Phlox

PERENNIALS

Botanical name	Common name	Where it Grows	Color of Flower	Time of Bloom	Each	10	100	Where Native	
<i>Achillea millefolium</i> , Yarrow.	sun-sods.	white,	June-July	\$.10	\$5.0	\$2.50	Here	
<i>Acorus calamus</i> , Sweet Flag.	bogs,	yellow,	June15	.60	3.00	Here	
<i>Actaea alba</i> , White Baneberry,	shades-ravines,	white,	May20	.80	6.00	H&M	
<i>Actaea rubra</i> , Red Baneberry,	shades-ravines,	white,	May-June25	1.00	7.50	M&SD	
<i>Allium canadense</i> , Wild Meadow Garlic,	damp ground,	white,	July10	.50	2.50	Here	
<i>Allium cernuum</i> , Nodding Wild Onion,	damp shade,	pink,	June-July15	.60	5.00	Here	
<i>Allium tricoccum</i> , Wild or Wood Leek,	open shade,	white,	June20	1.00	7.50	Here	
<i>Amorpha canescens</i> , Lead Plant,	open sun,	violet,	July20	1.00	7.00	Here	
<i>Anemone canadensis</i> (pennsylvanica),	White Anemone,	open sun,	May-July15	.60	5.00	Here	
<i>Anemone cylindrica</i> , Thimble Weed,	sun or shade,	white,	July-Aug.15	.75	5.00	H&I	
<i>Anemone quinquefolia</i> , Wood Anemone,	part shade,	May-June10	.50	4.50		Ind.	
<i>Anemonella thalictroides</i> , Rue Anemone,	woods,	white,	April, June15	.75	5.00	HI&M	
<i>Aplectrum hyemale</i> , Putty Root,	rich shade,	yellow-purple,	June25	2.00	15.00	H&I	
<i>Aquilegia canadensis</i> , Wild Columbine,	anywhere,	yellow-red,	May-July15	.60	4.00	HI&M	
2 Yr. plants			20	1.00	6.00		
XX Plants			25	1.50	10.00		
<i>Aralia racemosa</i> , Spikenard,	ravines,	white,	June20	1.25	10.00	HI&M	
<i>Arisaema dracontium</i> , Dragon Leaved Indian Turnip,	open woods,	green-purple,	May15	.65	5.00	Here	
<i>Arisaema triphyllum</i> , Indian Turnip,	open woods,	green purple,	May10	.50	4.00	Here	
<i>Aristolochia serpentaria</i> , Virginia Snakeroot,	open shade		20	1.25	9.00	Here	
<i>Artemisia serrata</i> , Dusty Miller,	sun,	greenish-white,	Aug.-Oct.15	.75	4.00	Here	
<i>Asarum canadense</i> , Wild Ginger,	rich shade,	violet,	April-May10	.50	4.00	Here	
<i>Asclepias incarnata</i> , Swamp Milkweed,	open flats,	pink-lilac,	July-Sept.20	1.00	7.00	Here	
<i>Asclepias rubra</i> , Red Milkweed,	open sun,	red,	July20	1.25	7.50	H&I	
<i>Asclepias tuberosa</i> , Butterfly Weed,	sun-sod,	yellow-red,	July-Sept.25	1.50	8.00	Here	
<i>Asclepias verticillata</i> , Whorled Milkweed,	sun-sods,	white,	July-Aug.10	.50	3.50	Here	
<i>Asclepias</i> , assorted,	sun-sods,	Aug. Sept.	60	4.50	Here	
<i>Aster</i> , assorted,	sun-sods,	Aug.-Sept.	50	4.00	Here	
<i>Aster</i> , novae angliae, New England Aster,	sun-sod,	purple,	July-Sept.15	1.00	7.00	Here	
<i>Aster sagittifolius</i> , Arrow Leaved Aster,	sun-sod,	blue,	Sept. Oct.15	.50	4.00	Here	
<i>Aster</i> , separate colors,	July, November		15	.50	4.50	Here	
<i>Baptisia australis</i> , Blue False Indigo,	open sun,	June-July20	1.50			Here	
<i>Baptisia bracteata</i> , Bracted False Indigo,	open-sun,	yellow,	May-June20	1.50	10.00	Here	
<i>Baptisia leucantha</i> , Delicate White False Indigo,	sun-sod,	July20	1.25	8.00		Here	
<i>Baptisia tinctoria</i> , Yellow wild False Indigo,	open borders,	June-Sept.20	1.25	8.00		NC	
<i>Callirhoe triangulata</i> , Clustered Poppy,	mallow,	dry, sandy soil,	purple,	Aug., Sept.15	1.00	7.00	Here
<i>Caltha palustris</i> , Marsh Margold,	bogs,	yellow,	April, May 1 to 3 plant clumps20	1.00	5.00	Mich.	
4 to 6 plant clumps			25	2.00	10.00		
<i>Camassia quamash</i> , Wild Hyacinth,	rich,	open shade,	light blue,	April-May20	1.50	19.50	Here
<i>Campanula rotundifolia</i> , Harebell,	anywhere,	blue,	July-Oct.15	1.00	7.00	W.M&I	
<i>Carex plantaginea</i> , Plantain Leaved Carex,	rich shade,	purple,	April, May15	.60	4.00	Here	
<i>Caulophyllum thalictroides</i> , blue cohosh,	ravines,	white,	May20	1.00	6.00	H&M	
<i>Chelone glabra</i> , Turtle Head,	wet places,	white-purple,	July-Sept.15	.80	7.00	H&NC	
<i>Chimaphila umbellata</i> , Prince's Pine,	dry woods,	white-pink,	June-Aug.15	1.00	5.00	Mich.	
<i>Chrysanthemum leucanthemum</i> , Oxeye Daisy,	anywhere,	sun,	white	August-October10	.50	4.00	Here
<i>Cimicifuga racemosa</i> , Black, Cohosh,	open shade,	white,	June-July20	1.50	8.00	NC	
<i>Claytonia virginica</i> , Spring Beauty,	open shade,	purple,	April-June10	.50	3.50	Here	
<i>Clintonia borealis</i> , Yellow Clintonia,	shade,	yellow,	May-June15	.75	4.50	NCM&I	
<i>Convallaria majalis</i> , Lily of the Valley,	part shade,	white,	May-June10	.50	3.00	Here	
<i>Coreopsis</i> , assorted, not botanized			15	.60	5.00	Here	
<i>Cypripedium acaule</i> , Brown Ladyslipper,	upland,	May20	1.50	10.00	Mich. NC&VT		
<i>Cypripedium parviflorum</i> , small yellow lady slippers,	bogs,	May-July20	1.60	11.00		Mich.	
<i>Cypripedium pubescens</i> , large yellow Ladyslippers,	upland-hills,	May20	1.60	12.00		Mich.	
<i>Cypripedium spectabile</i> , Showy Ladyslipper,	bogs,	pink,	May25	2.00	15.00	Mich.	

All *Cypripediums* are sold by the flowering Bud. If plants are wanted instead of buds, be sure to state so. You will be billed by the number of flowering buds they contain.

Botanical name	Common name	Where it Grows	Color of Flower	Time of Bloom	Each	10	100	Where Native		
<i>Delphinium tricolorne</i>	Dwarf Larkspur	sun-shade	dark blue	May-June10	.60	5.00	H&I	
<i>Dicentra canadensis</i>	Squirrel Corn	shade	pinkish white	April-May10	.40	3.50	H&M	
<i>Dicentra cucullaria</i>	Dutchman Breeches	deep shade	white	April-May15	.50	4.00	Here	
<i>Dicentra eximia</i>	Wild Bleeding Heart	Rocky places	pink	May-Sept.20	1.00		NC	
<i>Dodecatheon meadia</i>	Shooting Star	sun-sod	pink	May-June15	.75	6.00	H&I	
<i>Echinacea angustifolia</i>	Purple Cone Flower	dry gravelly	purple	June15	1.00	6.00	Here	
<i>Echinacea purpurea</i>	Garden Purple Cone Flower	rich soil	purple-crimson	June to Frost15	1.00	7.00	Here	
<i>Epipactis tessellata</i>	Rattle Snake Plantain	dry shade	greenish white	July, August15	1.00		Ind	
<i>Equisetum hyemale</i>	Scouring Rush	sunny places	green-yellow	May-June10	.60	4.50	Here	
<i>Erigenia bulbosa</i>	Harbinger of Spring	shade	pink-white	April-May10	.75	6.00	H&I	
<i>Eryngium aquaticum</i>	(yuccaeifolium) Button Snake Root	sun-sod	white	July15	.60	5.00	Here	
<i>Erythronium albidum</i>	White Adder's Tongue	Violet	shade	April-May10	.75	6.50	Here	
<i>Erythronium americanum</i>	Yellow Adders Tongue	Violet	shade	April-May10	.75	6.50	Mich.	
<i>Eupatorium coelestinum</i>	Mist Flower	anywhere	blue-purple	July-Sept.15	1.00	6.50	H&I	
<i>Eupatorium maculatum</i>	Spotted Joe Pye Weed	moist places	sun	pink-purple	August-Sept.25	1.25	10.00	Here
<i>Eupatorium perfoliatum</i>	Boneset	wet places	White	July15	.75	6.00	Here	
<i>Eupatorium purpureum</i>	Joe Pye Weed	open shade	purple	July-Sept.20	1.00	7.50	Here	
<i>Eupatorium urticaefolium</i>	White Snake Root	open shade	fine	white	Sept.-Nov.10	.75	5.00	Here
<i>Euphorbia corollata</i>	Flowering Spurge	open sun	white	July-Sept.15	.80	7.00	Here	
<i>Euphorbia cyparissias</i>	Cyprus Spurge	sun	yellow	June10	.40	3.00	Here	
<i>Filipendula rubra</i>	(ulmaria) Pink Meadowsweet	Prairie	damp-sun	June-July15	1.00	6.50	Here	
<i>Gentian andrewsii</i>	Closed Gentian	damp	sun	Blue-Pink	Aug.-Oct.15	.75	6.00	M.Vt&NY
<i>Gentian</i>	Prairie Gentian	open sun	blue	Aug.-Sept.20	1.25		Here	
<i>Geranium maculatum</i>	Crane's bill	anywhere	pink	May-June10	.60	5.00	Here	
<i>Helianthus</i>	assorted	sun-sod	yellow	Jul.-Nov.15	1.00	7.00	Here	
<i>Helianthus giganteus</i>	Tall Sun Flower	sun-sod	yellow	Sept.-Oct.15	1.00	7.50	Here	
<i>Helianthus mollis</i>	Hairy Sun Flower	sun-sod	yellow	July-Sept.15	1.25	8.00	Here	
<i>Helianthus tuberosa</i>	Artichoke	waste	sunny places	yellow	Aug.-Oct.	.15	.75	5.00	Here	
<i>Hepatica acutiloba</i>	(Evergreen)	deep shade	pink	April-May15	.40	1.75	Here	
	1 to 2 plant clumps20	.80	3.50	Here		
	3 to 4 plant clumps30	1.50	10.00	Here		
	5 to 6 plant clumps40	2.00	15.00	Here		
<i>Hieracium aurantiacum</i>	Orange or Tawny Hawk Weed	waste places	Orange-red	June Sept.20	1.50	8.00	Mich.	
<i>Hieracium floribundum</i>	Yellow Hawk Weed	open dry woods	yellow	June-August15	1.00	6.00	Here	
<i>Houstonia caerulea</i>	Blueets	open woods	blue	May10	.75	5.00	Vt.&Mich	
<i>Hydrastic canadensis</i>	Golden Seal	rich shade	green-white	May15	1.00	5.00	Here	
<i>Hypericum cistifolium</i>	Round Podded St. John's Wort	sun	yellow	July-August10	.60	4.00	Here	
<i>Iris cristata</i>	Crested Iris	some shade	blue	April-May15	1.00	6.00	NC	
<i>Iris cristata lacustris</i>	Dwarf Lake Iris	Water edge	blue	May15	1.25	10.00	Mich.	
<i>Iris</i>	German	7 colors15	1.00	5.00		Nur.	
<i>Iris</i>	Japanese	Mixed	June-July25	2.00			Nur.	
<i>Iris pumila</i>	Dwarf Blue Iris	borders	sun	April-May10	.60	4.50	Nur.	
<i>Iris sibirica</i>	(or Spanish)	blue or white	May15	1.00	6.00		NC	
<i>Iris verna</i>	Dwarf Iris	hillside	shade	violet-blue	April-May15	1.00	6.00	NC
<i>Iris versicolor</i>	open lowlands	blue	May15	.75	4.50		Here	
<i>Isopyrum biternatum</i>	False Rue Anemone	open woods	White	April-May10	.50	3.50	Here	
<i>Jeffersonia diphylla</i>	Twin Leaf	rich shade	white	May-June15	1.00	8.00	Ind.	
<i>Krigia virginica</i>	Cynthia	open woods	yellow	June-July15	1.00	7.00	H&I	
<i>Lepachys pinnata</i>	Gray Headed Cone Flower	yellow rays	sunny road-sides	June-September15	1.00	6.00	Here	
<i>Lespedeza frutescens</i>	Bush Clover	dry soil	pinkish purple	Aug.-Sept.15	1.00	7.00	H&I	
<i>Lespedeza procumbens</i>	Trailing Bush Clover	dry soil	pinkish purple	August-September15	.85	6.50	Here	
<i>Liatris scariosa</i>	Button Blazing Star	sun	dry	purple	July-Sept.10	.75	5.00	Here

Botanical name	Common name	Where it Grows	Color of Flower	Time of Bloom	Each	10	100	Where Native
<i>Liatriis spicata</i> , Blazing Star, open sun-moist, purple, July-August.....					.15	.80	6.00	Here
<i>Lilium philadelphicum</i> , Wood or Wild Red Lily, open shade, red-yellow, June					.15	1.10	8.00	Mich.
<i>Lilium superbum</i> , Turks Cap Lily, meadows, yellow, June-July.....					.20	1.75	12.00	H.O&M
<i>Lithospermum canescens</i> , Puccoon, open sun, yellow, May-June.....					.15	.80	6.00	Here
<i>Lithospermum carolinense</i> Hairy Puccoon, open sun, yellow, May-June.....					.15	.75	6.00	H&I
<i>Lobelia cardinalis</i> , Cardinal Flower, moist, rich soil, cardinal July-Sept.					.10	.75	6.00	MNC&H
<i>Lobelia siphilitica</i> , Great Blue Lobelia, moist soil, blue, July-Oct.....					.10	.75	5.00	Here
<i>Lycopus americanus</i> , Water Horehound, low grounds, green-white, July-Oct.					.15	.60	4.00	Ind.
<i>Maianthemum bifolium</i> , Two eaved Solomon's Seal, open shade, white, May-June15	.75	6.00	Ind.
<i>Marrubium vulgare</i> , Horehound, waste places, white, June-Aug.15	.60	4.00	Here
<i>Medeola virginica</i> , Indian Cucumber Root, rich, damp woods, green-yellow, September10	.50	4.00	Mich.
<i>Melanthium virginicum</i> , Bunch Flower, sun-sod, white, July15	.80	6.50	Here
<i>Mentha piperita</i> , Peppermint, low, rich soil, Wh. Ma.,15	.50	3.00	Here
(Ask for prices on large lots for commercial plantings)								
<i>Mentha spicata</i> , Spearmint, low, rich soil, Wh. May15	.50	3.00	Ind.
(Ask for prices on large lots for Commercial plantings).								
<i>Mertensia virginica</i> , Blue Bells, open shade, April-June, XX grade					All sold for	1927		Here
Firsts15	1.00	6.00	Here
Seconds10	.50	3.00	Here
(Ask for prices in large lots)								
<i>Mertensia virginica</i> , Pink Blue Bells, open shade, April-May25	2.00	17.50	Here
<i>Mertensia virginica</i> , White Blue Bells, open shade, April-May40	3.00		Here
<i>Monarda didyma</i> , Oswega Tea, moist places, red, July-Sept.....					.15	.80	6.00	N ur.
<i>Monarda fistulosa</i> , Pink Horsemint, sun-sod, pink, July-Sept.15	.60	4.00	Here
<i>Nepeta cataria</i> , Catnip (biennial) anywhere, white, June on.....					.10	.40	3.00	Here
<i>Nymphaea odorata</i> , Sweet Scented Water Lily, yellow, July-Sept.....					.30	1.75	12.00	H&M
<i>Oenothera biennis</i> , Common Evening Primrose, (biennial) 1 yr., yellow June Sept.15	.50	4.00	H&M
<i>Oenothera speciosa</i> , Showy Evening Primrose, sun, white, pink, May-Aug.					.15	.75	5.00	Here
<i>Oxalis violacea</i> , Violet Sheep Sorrel, sun-sod, violet, May.....					.10	.50	4.00	Here
<i>Panax quinquefolium</i> , Ginseng, rich shade white, May-June.....					.15	.80	6.00Ga.	NC&H
<i>Parnassia caroliniana</i> , Grass of Parnassus, white, June-Sept.....					.10	.60	5.00	Mich.
<i>Pedicularis canadensis</i> , Wood Betony, open shade, yellow, May.....					.20	1.50	10.00	Here
<i>Pentstemon hirsutus</i> , Hairy Beards Tongue, sun-sod, pink-white, June-July					.10	.75	6.00	Ind.
<i>Pentstemon laevigatus</i> , Smooth Beards Tongue, sun-sod, white, June-July					.15	1.00		Here
<i>Petalostemum candidum</i> , White Prairie Clover, sun-sod, July-Aug.....					.15	.75	6.00	Here
<i>Petalostemum villosum</i> , Purple Prairie Clover, sun-sod, July-Aug.....					.15	.75	6.00	Here
<i>Phlox divaricata</i> , Sweet William, open woods, lilac or blue, May-June								Here
<i>Phlox glaberrima</i> , Wild Pink Phlox, prairies, June-July								Here
<i>Phlox paniculata</i> , Garden Phlox, lavender, July-Sept.								Here
<i>Phlox pilosa</i> , Prairie Phlox, red, May-June								Here
Either of the above plants of 1 stem10	.30	2.00	
Either of the above plants of 2 to 4 stems.....					.10	.75	5.00	
Either of the above plants of 5 to 6 stems.....					.15	1.25	7.00	
Either of the above plants of 7 to 10 stems.....					.20	1.50	10.00	
Either of the above plants of 10 stems up25	2.00	15.00	
<i>Phlox pilosa alba</i> , White Prairie Phlox, open sun, May-June15	1.25	10.00	Here
<i>Phlox subulata</i> , white, Pink and Lavender, divisions15	1.00	6.00	Nur.
<i>Physostegia virginiana</i> , False Dragon Head, sun-sod, pink, June-Aug.....					.15	.75	5.00	Here
<i>Physostegia virginiana alba</i> , White False Dragon Head, sun-sod, white, May-June15	.80	7.00	Nur.
<i>Podophyllum peltatum</i> , May Apple, Mandrake, open shade, white, May-June15	.60	4.00	Here
<i>Polemonium reptans</i> , Greek Vararian, rich shade, blue, May.....					.15	.60	5.00	Here
<i>Polygonatum biflorum</i> , Solomon's Seal, shade, green-white, May.....					.15	.65	5.00	Here
<i>Polygonatum commutatum</i> , Giant Solomon's Seal, shade, green-white, May					.20	1.00	8.00	Here
<i>Pyrola elliptica</i> , Shinleaf, dry shade, green-white, May.....					.15	.75	6.00	Ind.
<i>Ranunculus acris</i> , Common Buttercup, bordered, sun, yellow, May.....					.10	.60	4.50	H&M
<i>Ranunculus repens</i> , Creeping Buttercup, sun, yellow, May10	.60	4.50	H&M
<i>Rudbeckia laciniata</i> , Wild Golden Glow, open shade, yellow, July-Aug.....					.15	.60	5.00	Here
<i>Ruellia pendunculata</i> , Stalked Ruella, open sods, light purple, June-Aug.					.15	.75	6.00	Here

Botanical name	Common name	Where it Grows	Color of Flower	Time of Bloom	Each	10	100	Where Native
Sanguinaria canadensis,	Blood root,	deep shade,	white,	April-May.....	.10	.50	4.00	Here
Saponaria officinalis,	Bouncing Bet,	anywhere,	pink,	June-Oct.10	.50	4.00	Here
Sarracenia purpurea,	Pitcher Plant,	bogs,	purple,	June.....	.15	.75	5.50	Mich
Scutellaria galericulata,	Scull Cap,	wet places,	violet-blue,	June-Aug.....	.15	1.00	6.00	Here
Sedum ternatum,	Wild Stone Crop,	borders,	Aug.-Sept.10	.60	4.00		Ind.
Senecio aureus,	Golden Ragwort,	open dry woods,	yellow,	May-July.....	.15	.85	6.00	Here
Silene stellata,	Stary Campion,	shade,	white,	July15	.60	5.00	Here
Silene virginica,	Fire Pink,	rich shade,	bright red,	May-June15	1.00	7.50	Ind.
Silphium laciniatum,	Compass Plant,	sun-sods,	yellow,	July-Aug.....	.25	2.00	10.00	Here
Silphium perfoliatum,	Indian Cup,	rich, damp soil,	yellow,	July-Sept.20	1.50	7.50	Here
Silphium terebinthaceum,	Prairie Dock,	sun,	yellow,	July-Aug.25	2.00	10.00	Here
Sisyrinchium angustifolium,	Blue Eyed Grass,	sun-sod,	blue,	May-June....	.15	.60	4.00	Here
Smilacina racemosa,	False Solomon's Seal,	open woods,	white,	May-July15	.60	4.50	Here
Smilacina stellata,	Star Flowered Solomon's Seal,	moist shade,	white,	June-July15	.75	5.00	Ind.
Solidago,	Golden Rod,	assorted,	open sun,	yellow, Aug.-Oct.....	.15	.75	5.00	HM&I
Solidago canadensis,	Canadian Golden Rod,	open sun,	Aug.-Oct.....	.20	1.00	6.00		HM&I
Spiranthes cernua,	Lady's Tresses,	swamps,	white,	Aug.-Oct.....	.15	1.00	7.50	Mich.
Stylophorum diphyllum,	Yellow Poppy,	Calendine,	rich open woods,	Yellow, Ma. Sept., singles20	1.50	10.00	Ind.
Symplocarpus foetidus,	Skunk Cabbage,	bogs,	yellow,	Feb.-March.....	.25	2.00		Here
Tanacetum vulgare,	Tansy,	anywhere,	yellow,	June15	.60	4.00	Here
Thalictrum polygamum,	Tall Meadow Rue,	open shade,	white,	June-July....	.15	.60	4.00	Here
Tradescantia bracteata,	Dwarf Pink Spiderwort,	shade-singles15	1.00		Here
Tradescantia pilosa,	Zig Zag Spiderwort,	dry, open shade,	lilac-blue,	June-September, Singles15	.60	4.00	Here
Tradescantia virginiana	Spiderwort,	sun or woods,	purplish,	May				
	August, Single10	.60	3.00	Here
	Small clumps15	1.00	6.00	Here
Tradescantia virginiana alba,	White Spiderwort,	anywhere,	May-Aug....		.20	1.50	12.50	NY
Tradescantia virginiana nana,	Dwarf Blue Spiderwort,	anywhere,	April-July, Singles10	.65	4.50	Here
	Small Clumps15	1.25	7.50	Here
Trientalis americana,	Star Flower,	woods,	white,	May15	.75	5.00	Ind.
Trillium grandiflorum,	Large White Trillium,	shade,	May, XX grade....		.15	1.00	6.00	Mich.
	Firsts10	.75	3.50	Mich.
	Seconds10	.40	1.50	Mich.
Trillium nivale,	Dwarf White Trilliums,	deep shade,	early April.....		.10	.60	3.50	Here
Trillium recurvatum,	Brown Trillium,	open shade,	May-June10	.50	3.00	Here
Typha latifolia,	Cat Tails,	swamps,	yellow,	July-Aug.15	.75	6.00	Here
Uvularia perfoliata,	Bellwort,	rich shade,	yellow,	May-June.....	.10	.60	5.00	Here
Verbena hastata,	Blue Verbane,	moist places,	purple,	July-Sept.....	.15	.60	5.00	Here
Verbena stricata,	Mullen Leaved V.,	dry pastures,	blue,	Aug.-Sept.....	.15	.50	4.00	Here
Vernonia altissima,	Tall Iron Weed,	open-sun,	violet,	July-Oct.20	1.00	5.00	Here
Veronica virginica,	Clover's Root,	open shade,	white,	July-Aug.....	.15	.50	4.00	Here
Viola blanda,	White Violet,	open shade,	May-June10	.50	4.00	Ind.
Viola palmata-Palm Leaved Violet,	sun-sod,	blue,	May-June.....		.10	.60	4.50	Here
Viola papilionacea,	Common Blue Violet,	open shade,	May-June.....		.10	.40	3.00	Here
Viola pedata,	Bird's Foot Violet,	sun-sod,	blue,	May-June, Singles.....	.10	.50	4.00	Here
	Small Clumps15	.75	8.00	Here
Viola pedata bicolor,	Two colored Birds Foot Violet,	sun, all summer,	singles15	1.25	10.00	Here
	Small Clumps25	2.00	18.00	Here
Viola pubescens,	Common Yellow Violet,	open-shade,	yellow,	May.....	.10	.50	3.00	Here

July 1927

FOR OUR MANY CUSTOMERS IN WILD PLANTS.

This is the season of relaxation, vacation, picnics and other things to detract attention from the heat, work and other troubles. It is so easy to forget our gardens. We think only of Spring and Fall as planting time.

There are many bulbs that are perfectly dormant, and plant best at this time of the year. Take, for example, *Lentensia*. It ripens in early June. Thru June and July it takes its rest and in late July and August starts its new, fall root growth. Stored bulbs show this abundantly in white, tender rootlets. If planted before this fall root growth begins they become as well established and bloom just as gorgeously the first year as tho they had never been moved. Of course *Lentensia* plants well up until the ground closes for Winter, but do not get as well established the first year. Some of the following list start their fall growth earlier and others later.

Claytonia, for example, actually makes a growth above the ground in Oct. Most of the following items plant very badly in early Spring.


List ready to plant now.

Allium canadense	Jeffersonia diphylla
Allium tricoccum	Krigia virginica
Anemonella thalictroides	Mertensia virginica
Camassia quamash	Oxalis violacea
Claytonia virginica	Sanguinaria canadensis
Delphinium tricornes	Tradescantia bracteata
Dicentra canadensis	Tradescantia virginica
Dicentra cucullaria	Tradescantia virginica nina
Dodecatheon media	Trillium grandiflorum
Erythronium albidum	Trillium nivale
Erythronium americanum	Trillium recurvatum
Geranium maculatum	Uvularia perfoliata

There is another class of plants that take their mid-summer rest, making a fall growth in cooler weather, during the fall rains. This class includes all of the Violets that grow in the sun, *Aquilegia canadensis* and to a less degree most all the Irises. These plant well at this time, providing one can give them conditions of moisture and protection from the extreme heat of the sun until they get established. The following list may be planted now or in the Fall. Of course this class planted at this time of the year is dangerous, unless given the help, mentioned above.

Ready both now and again in late Fall.

<i>Aquilegia canadensis</i>	<i>Phlox divaricata</i>
<i>Caltha palustris</i>	<i>Phlox glaberrima</i>
<i>Hepatica acutiloba</i>	<i>Phlox pilosa</i>
<i>Iris cristata</i>	<i>Phlox pilosa alba</i>
<i>Iris cristata lacustris</i>	<i>Phlox subulata</i>
<i>Iris Germanica</i>	<i>Silene virginica</i>
<i>Iris Juncea</i>	<i>Stylophorum diphyllum</i>
<i>Iris pallida</i>	<i>Viola blanda</i>
<i>Iris siberica</i>	<i>Viola palmata</i>
<i>Iris versicolor</i>	<i>Viola papilionacea</i>
<i>Linum catharticum</i>	<i>Viola pedata</i>
<i>Linum catharticum</i>	<i>Viola pedata bicolor</i>
<i>Penstemon hirsutus</i>	<i>Viola pubescens</i>





Of course other items keep ripening up as the season advances such as Banberries, both Cohoshes and many other items thru September- October. Most of them, as Wild Shrubs mature and should be planted in Late October-November.

We are sending you this circular letter with our latest Wild Plant list to help you, our friends, and ourselves.

It helps you by reminding you of the best time to plant each sort, getting them out of the way for the regular Fall planting.

It helps us precisely in the same way, enabling us to get the plants out in the best time of the year, enabling us to serve your wants better. Orders received in the right time leaves our help to get out belated orders.

We wish to thank you for your past, splendid business in Wild Plants and also want to thank you for your courteous recommending us to your Friends.

We remain,

Always at your service,
Hopedale Nurseries,
J. F. Griesemer, Prop.

Hopedale, Ill., July, 18th. 1927

FERNS

These may be moved at almost any season but handle best in fall, but well in spring. If moved with tops on, cost of crating will be added.

Botanical name	Common name	Where it Grows	Color of Flower	Time of Bloom	Each	10	100	Where Native
Adiantum pedatum, Maiden Hair,	banks or flats,	Light	sods		.10	.50	2.50	Here
Medium sods					.15	.75	4.00	Here
Heavy Sods					.20	1.25	8.00	Here
Aspidium acrostichoides, Christmas (Evergreen),	open shade				.10	.50	4.00	H.T.&I
Aspidium goldianum, Goldies Fern,	rich woods				.25	1.50	12.50	I&Mich.
Aspidium marginale, Evergreen Wood Fern,	rich shade				.15	.75	6.00	Minn&NY
Aspidium spinulosum, Spinulose Wood Fern,	(Evergreen) rich shade				.15	.75	6.00	M&Vt.
Aspidium thelypteris, Marsh Fern					.20	1.00	7.50	Here
Asplenium angustifolium, Narrow Leaved Spleenwort,	shade				.15	1.00	7.00	Here
Asplenium Felix-femina, Lady Fern,	open shade				.15	.75	6.50	Here
Asplenium thelypteroides, Silvery Spleenwort,	rich woods				.15	1.00	7.50	Ind.
Botrychium ternatum, Ternate Grape Fern,	rather dense shade, rich soil, (8-10 deep)				.20	1.50		
Camptosorus rhizophyllus, Walking Fern,	dry moss covered shades				.20	1.25	10.00	I&M
These are best lifted in the sheet moss, where they grow and so planted.								
Cystopteris bulbifera, Bulbet Bladder Fern,	moist flats				.10	.60	4.00	Ind.
Cystopteris fragilis, Fragile Bladder Fern,	moist flats				.10	.50	3.50	Here
Dicksonia punctilobula, Hay Scented Fern,	Single Plants				.10	.50	3.50	Tenn.
Sods about 12x12"					.75	5.00	40.00	Vt.
Dryopteris hexagonoptera, Broad Beech Fern,	Shade				.10	.60	5.00	Here
Onoclea sensibilis, Sensitive Fern,	flats				.15	.60	5.00	Here
Onoclea struthiopteris, Ostrich Fern,	good foundation Ferns				.20	1.50	9.00	M&NY
Osmunda cinnamomea, Cinnamon Fern,	hillsides, open shade				.20	1.25	9.00	T&NC
Osmunda claytoniana, Interrupted Fern,	hillsides, open shade				.25	1.50	10.00	NC
Osmunda regalis, Royal Fern,	hillsides, open shade				.20	1.25	8.00	T&NC
Pellaea atropurpurea, Purple Cliff Break,	limestone cliffs				.15	1.00	8.00	Ind.
Pteris aquilina, Brake, Eagle Fern,	stands lots of sun				.15	1.00	7.00	H.I.&M
Woodsia obtusa, Blunt Lobed Woodsia					.20	1.00		Ind.
Mixed lots, taller, all to finish 18 in. and up						1.00	6.50	Here
Mixed lots of above to suit our convenience					.10	.75	5.00	H.&Ind.

VINES

See our description catalog and Price List for nursery grown vines, etc.

	Each	10	100	Where Native
Ampelopsis engelmannii, Clinging American Ivy, Nursery grown, 3 yr. heavy	\$.35	\$3.00		Here
Ampelopsis engelmannii, collected, mixed some with Am. Ivy	.15	1.00	6.00	Here
Ampelopsis quinquefolia, American Ivy, rooted layers	.10	.50	4.00	Here
Medium plants	.15	1.25	8.00	Here
Callirhoe involucrata, Low Poppy Mallow, violet-red, May-Nov.	.15	1.00	7.50	Here
Celastrus scandens, Bitter Sweet, thickets, red berries	.15	1.00	7.00	Here
Clematis viorna, Leather Flower, sun-sod, blue, July-August	.20	1.50	10.00	Here
Clematis virginiana, Virgin's Bower, border thickets, white, Aug.-Sept.	.15	1.00	7.00	H.M.&I
Convolvulus arvensis, Lesser Binder Weed, sun, pink-purple, July-Sept.	.15	.75	5.00	Here
Convolvulus, sepium, Great Binder Weed, sun, June-Sept.	.15	.75	5.00	Here
Dioscorea villosa, Wild Yam, underbrush, June-July	.15	1.25	9.00	Here
Euonymus obovatus, Trailing Waahoo, shade	.10	.60	4.00	Ind.
Caultheria precombens, Spicy Wintergreen, shade, white, July-Clumps	.20	1.50	7.00	M&NC
Humulus lupulus, Hop Vine, anywhere, yellow, July	.15	.75	4.00	Here
Ipomoea pandurata, "Man of the Earth", river bottoms, purple, May-Sept.	.75	5.00	35.00	Here
Lonicera dioica, Wild Yellow Honeysuckle, yellow, May-June	.20	1.00	7.00	Here
Lycium halimifolium, Matrimony Vine, purple, berries orange red, May-Aug.	.15	.75	6.50	Here
Lysimachia nummularia, Money Wort, Moist places, June-Aug.	.10	.60	4.00	Here
Menispermum canadense, Wild Sarsaparilla, thickets, white, May	.15	1.00	6.00	Here
Mitchella repens, Partridge Berry, shade, white, April-June, clumps	.20	1.25	8.00	Here
Nepeta hederacea, Ground Ivy, shade, purple, May-June	.10	.50	3.50	Here

	Each	10	100	Where Native
Rhus toxicodendron, Poison Ivy, Poison Sumac, Fence rows & wastes.....	.15	1.00	6.00	Here
Smilax herbacea, Carrion Flower, moist meadows, border, white, black berries20	1.00	8.00	Here
Smilax latundifolia, Cat Brier, moist thickets, blue berries.....	.20	1.00	7.50	Here
Tecoma radicans, Trumpet Creeper, anywhere, orange-scarlet, all summer	.20	1.00	6.00	Here
Vitis, Wild Grape, mixed seedlings, anywhere, yellow, May (Frag.).....	.15	.75	5.00	Here
Vinca minor, Ground Myrtle, anywhere, blue, May-June15	.60	3.50	H.M&I
Vincetoxicum gonocarpos, climbing Milkweed, open river bottom, pink, Jul.-Aug.25	2.00	15.00	Here

SHRUBS

We are now required to have all collected Shrubs and Vines with woody tops, inspected, like nursery grown stock. This means that we must either get a large lot stored here, and have an inspector come to look it over, or send less lots to Urbana, Ill., to be inspected, and sent on to customers directly from there. Otherwise the cost would be so great that we would be forced to abandon getting out this line. We state this, that you will not be impatient at the stock's not arriving as promptly as expected. Perennials do not require this inspection, in this state. They DO require it in Mich., but we think we have it arranged to reduce the delay to a minimum. Ind., shrubs must be inspected before leaving that state. It is a NEW TROUBLE, but it will likely get so systemized soon as to cause little delay.

Benzoin aestivale, Spice Bush, red berries, 1 to 2 ft.....	\$.10	\$.80	\$7.00	H&Ind.
2 to 3 ft.15	1.25	10.00	H&Ind.
Ceanothus americanus, New Jersey Tea, white, July, 10 to 20 in. Cl.....	.15	1.00	7.00	Here
Cercis canadensis, Red Bud, red, May, 2 to 3 ft.20	1.50	10.00	H&T
Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft.....	.10	.65	5.00	Tenn.
2 to 3 ft.15	1.00	8.00	NY
Cornus paniculata, Brown Dogwood, white, June-July, 2 to 3 ft.15	1.00	7.50	Here
Cornus stolonifera, Red Oiser Dogwood, succors, white, May-Aug., 18-36 in.	.15	.65	5.00	Mich.
Corylus americana, Hazel Nut, succors 2 to 3 ft.15	.75	5.00	Here
3 to 4 ft., whole clumps25	1.50	12.50	Here
Crataegus, mixed seedlings, white, May, 2 to 3 ft.15	1.00	7.00	Here
Diervilla trifida, Wild Weigelia, pale yellow, May-Sept. 6 to 18 in.....	.15	1.00	6.50	NY.
Evonymus americanus, Waahoo, purple, June, 2 to 3 ft.....	.15	.75	5.00	Tenn.
Evonymus atropurpureus, Waahoo, purple, June, 2 to 3 ft.15	1.00	7.00	Here
Hydrangea arborescens, Wild Hydrangea, white, June-July, succors.....	.15	.75	5.00	Here
Clumps25	1.50	10.00	Here
Malus, coronaria, Wild Crab, pink, May, succors, 2 to 4 ft.....	.15	.80	7.00	Here
Can do much better crabs in nursery grown grafts.				
Prunus americana, Wild Plum, April-May, white 1 to 2 ft.15	1.00	7.50	Here
Ptelea trifolia, Wafer Ash, 5 to 7 ft. Tr.50	4.00	35.00	Here
Rhus copallina, Dwarf, green, Aug 1 to 2 ft.15	.75	5.00	Tenn.
Rhus glabra, Smooth Sumac, anywhere, white, July, 2 to 3 ft.15	.50	4.00	Here
Rhus typhina, Staghorn Sumac, anywhere, white, July, 2 to 3 ft.....	.15	.75	6.00	NY&T
Ribes, Wild Gooseberry, open woods15	.75	6.00	Here
Rosa blanda, Smooth Wild Rose, Pink, June-July, anywhere.....	.10	.75	5.00	H&Mich.
Rosa carolina, Swamp Rose, pink, moist shade, June-Aug.15	1.00	7.50	Here
Rosa humilis, Dwarf Prairie Rose, pink, June-Sept., sun-sod15	1.00	5.00	Here
Rosa lucida, Thorny Wild Rose, pink, anywhere, June-July15	.75	5.00	Mich.
Rosa nitida, Dwarf Rose, pink, May-July15	.75	5.00	Here
Rosa setigera, Prairie Climbing Rose, pink, open border, June-July.....	.20	1.50	8.00	Here
Rubus, Wild Blackberry, sun or open shade10	.50	3.00	Here
Rubus, Wild Raspberry (black), sun or open shade10	.50	3.00	Here
Rubus, Wild Dewberry, open sun10	.50	4.00	Here
Rubus odoratus, Flowering Raspberry, violet, June-Sept. 1 to 3 ft.....	.15	.80	6.00	NY.
Salix discolor, Pussy Willow, Nursery grown, 2 to 4 ft.15	1.75	12.50	Here
Sambucus canadensis, Black Berried Elder, white, June-July 2-4 ft.....	.10	.50	3.00	Here
Sassafras variifolium, Sassafras (hard to transplant).....	.15	1.00	7.50	Here
Staphylea trifolia, Bladder Nut, yellow, June, 2 to 4 ft.....	.15	.75	5.00	Here
Symphoricarpos vulgaris, Indian Currant, 15 to 30 in.....	.15	.60	4.50	Here
Viburnum acerifolium, Maple Leaved Arrow Wood, white, May, 1 to 3 ft.	.15	.75	5.00	T&NY
Viburnum prunifolium, Black Haw, white, May, 2 to 3 ft.15	1.00	6.00	Here
Zanthoxylum americanum, Prickly Ash, open shade, yellow, red berries, May, 2 to 3 ft.15	1.00	7.00	Here